




# We Work together

## AGRICULTURAL EQUIPMENTS



## AGRICULTURAL EQUIPMENTS



### BILGE PUMP

Model	BL-2524
Motor Power	50W/5800rpm
Input Power	DC 24v/3.8A
Outlet Port Dia.	25mm
Max. Delivery Head	4m
Delivery Volume	70L/min
Gross Weight	1.4Kg



### AUTO BOOSTING WATER PUMP

Model	WP-MQS130
Max. Suction	8m
Max. Head	33m
Max. Flow	33L/min
Output	0.37kW
Power	0.5HP
Voltage	220v/50Hz
rpm	2900



### WATER PUMP

Model	WB2-10CX
Inlet/outlet Diameter	25mm/1inch
Total Head Lift	25m
Suction Head Lift	7m
Max. Capacity	130L/min
Engine	2 Stroke, Single Cylinder, Air cooled
Displacement	42.7cc
Rated Power	1.5HP/6500rpm
Net Weight	7.2Kg



### WATER PUMP

Model	WP4-10CX
Inlet/outlet Diameter	25mm/1inch
Total Head Lift	25m
Suction Head Lift	7m
Max. Capacity	116L/min
Engine	4 Stroke, Single Cylinder, Air cooled
Displacement	35.8cc
Rated Power	1.3HP/6500rpm
Net Weight	7.2Kg



## WATER PUMP [PETROL]

## HIGH LIFT WATER PUMP

Model	WP-40B
Engine Type	4 Stroke, Single
	Cylinder, Air cooled
Max. Output	1.8kW/2.5HP/3600rpm
Inlet/Outlet Diameter	40mm/1.5inch
Total Head Lift	30m
Suction Head Lift	7m
Max. Discharge	200L/min
Gross Weight	13Kg



Model	WP-HP50
Engine Type	4 Stroke, Single
	Cylinder, Air cooled
Max. Output	4.8kW/6.5HP/3600
Inlet/Outlet Diameter	50mm/2inch
Total Head Lift	55m
Suction Head Lift	7m
Max. Discharge	500L/min
Gross Weight	25Kg



## WATER PUMP [PETROL & KEROSENE]

## WATER PUMP [PETROL & KEROSENE]

Model	WP-20CX
Engine Type	4 Stroke, Single
	Cylinder, Air cooled
Max. Output	4kW/5.5HP/3600rpm
Inlet/Outlet Diameter	50mm/2inch
Total Head Lift	27m
Suction Head Lift	7m
Max. Discharge	450L/min
Gross Weight	23Kg



Model	WP-30CX
Engine Type	4 Stroke, Single
	Cylinder, Air cooled
Max. Output	4kW/5.5HP/3600rpm
Inlet/Outlet Diameter	76mm/3inch
Total Head Lift	28m
Suction Head Lift	7m
Max. Discharge	1000L/min
Gross Weight	27Kg



## TRASH WATER PUMP [PETROL]

## MUD PUMP 4"

Model	WP-WB80
Engine Type	4 Stroke, Single
	Cylinder, Air cooled
Max. Output	4.8kW/6.5HP/3600rpm
Inlet/Outlet Diameter	76mm/3inch
Total Head Lift	20m
Suction Head Lift	7m
Max. Discharge	916L/min
Gross Weight	35Kg



Model	WP-QDZ100-28
Engine Type	4 Stroke, Single
	Cylinder, Air cooled
Max. Output	6.7kW/9HP/3600rpm
Inlet/Outlet Diameter	100mm/4inch
Total Head Lift	30m
Suction Head Lift	5m
Max. Discharge	1250L/min
Gross Weight	45Kg





## WATER PUMP [PETROL]

Model	WP-QDZ150-20
Engine Type	4 Stroke, Single
	Cylinder, Air cooled
Max. Output	11.2kW/15HP/3600rpm
Inlet/Outlet Diameter	150mm/6inch
Total Head Lift	20m
Suction Head Lift	3m
Max. Discharge	2500L/min
Gross Weight	69Kg



## BRUSH CUTTER

Model	WP-TJBC 415-B
Engine	1E40F-5
Engine Type	2 Stroke, Single
	Cylinder, Air cooled
Max. Power	1.8kW/6500rpm
Displacement	43cc
Carburetor	Diaphragm Type
Fuel Oil Ratio	40:1(Gasoline:Oil)
Net Weight	7.5Kg




## BRUSH CUTTER

Model	WP-35
Engine Type	4 Stroke, Single
	Cylinder, Air cooled
Max. Power	1.125kW/6500rpm
Displacement	35.8cc
Carburetor	Diaphragm Type
Blade	Metal Blade & Nylon Cutter
Net Weight	7.2Kg



## BACKPACK BRUSH CUTTER

Model	520C
Engine	1E40F-5
Engine Type	2 Stroke, Single
	Cylinder, Air cooled
Max. Power	1.8kW/6500rpm
Displacement	43cc
Carburetor	Diaphragm Type
Fuel Oil Ratio	40:1(Gasoline:Oil)
Net Weight	7.5Kg



## HEDGE TRIMMER

Model	WP-HTP2012
Engine Type	2 Stroke, Single
	Cylinder, Air cooled
Max. Power	0.85kW/7500rpm
Displacement	26cc
Carburetor	Diaphragm Type
Fuel Tank Capacity	0.75L
Fuel Oil Ratio	40:1(Gasoline:Oil)
Blade Length	750mm
Net Weight	8.5Kg



## TEA PLUCKER

Model	WP-TP2012
Engine Type	2 Stroke, Single
	Cylinder, Air cooled
Max. Power	0.85kW/7500rpm
Displacement	26cc
Fuel Tank Capacity	1.2L
Fuel Oil Ratio	40:1(Gasoline:Oil)
Net Weight	11Kg





## CHAIN SAW

Model	WP-5200
Engine Type	2 Stroke, Single
	Cylinder, Air cooled
Max. Power	2.1kW/9000rpm
Displacement	58cc
Max. Speed	11800rpm
Fuel Tank Capacity	550ml
Guide bar size	20/18
Chain	Oregon(USA)
Chain Pitch	0.325, 3/8
Net Weight	6Kg



## ELECTRIC CHAIN SAW

Model	9400
Length	3m
Input Power	230v/50Hz
Rated Power	900W
Saw Speed	15m/Sec
Cutting Length	10/12inch
Gross Weight	6Kg



## LAWN MOVER

Model	RU-3231
Max. Power	3.3kW/4.5HP/7300rpm
Displacement	158cc
Fuel Tank Capacity	1200ml
Oil Capacity	600ml
Cutting Width	460mm/18inch
Cutting Height	25-76mm
Operating Model	Semi Drive
Gross Weight	36.5Kg



## AUGER

Model	WP-EA2012
Engine Type	2 Stroke, Single
	Cylinder, Air cooled
Max. Power	2kW/7500rpm
Displacement	52cc
Carburetor	Diaphragm Type
Fuel Tank Capacity	0.85ml
Fuel Oil Ratio	40:1(Gasoline:Oil)
Drill Diameter	80cm
Gross Weight	20Kg



## TILLER

Model	WP-KT75
Engine	WP470F/P
Max. Power	4kW/5.5HP/3600rpm
Max. Torque	13/2500(nm/rpm)
Tilling Scope	100cm
Tilling Depth	10mm
Gear Shifting	-1,2,0,1
Transmission Type	Belt
Oil Capacity	.95L
Gross Weight	102Kg



## PORTABLE POWER SPRAYER

Model	WP-P768
Engine	1E34F
Engine Type	2 Stroke, Single
	Cylinder, Air cooled
Max. Power	1kW/7000rpm
Displacement	26cc
Working Pressure	1.3-2MPa
Output Flow	7L/min
Vertical Spraying Range	10m
Gross Weight	9.8Kg



## PORTABLE POWER SPRAYER

## POWER SPRAYER 21K

Model	WP-P768F
Engine Type	4 Stroke, Single
	Cylinder, Air cooled
Max. Power	1kW/7000rpm
Displacement	26cc
Working Pressure	1.3-2MPa
Output Flow	7L/min
Vertical Spraying Range	10m
Gross Weight	9.8Kg



Model	WP-21K
Engine	152F
Engine Type	4 Stroke, Single
	Cylinder, Air cooled
Max. Power	1.8kW/2.5HP/3600rpm
Working Pressure	2.1-4MPa
Output Flow	10-16L/min
Vertical Spraying Range	10m
Gross Weight	23Kg



## POWER SPRAYER 22K

## POWER SPRAYER 30K

Model	WP-22K
Engine	168F
Engine Type	4 Stroke, Single
	Cylinder, Air cooled
Max. Power	4.8kW/6.5HP/3600rpm
Working Pressure	2.1-4MPa
Output Flow	14-22L/min
Vertical Spraying Range	13m
Gross Weight	29Kg



Model	WP-30K
Engine	168F
Engine Type	4 Stroke, Single
	Cylinder, Air cooled
Max. Power	4.8kW/6.5HP/3600rpm
Working Pressure	2.1-4MPa
Output Flow	30-45L/min
Vertical Spraying Range	13m
Gross Weight	29Kg



## BLOWER&VACUUM 2 IN 1 MULTI-FUNCTIONAL

## OUTBOARD ENGINE

Model	EBV-260
Engine	1E34FB
Displacement	26cc
Cylinder Diameter	34mm
Fuel Oil Ratio	40:1(Gasoline:Oil)
Carburetor	Membrane Type Primer Pump
Way of Ignition	CDI
Spark Plug	L9T(LD)
Start Mode	Recoil
Fuel Tank Capacity	0.5L
Gross Weight	4.5Kg



Model	M-3.5
Engine Type	2 Stroke, Single
	Cylinder, Air cooled
Displacement	52cc
Full Throttle Operating Range	4200+300
Speed	20Km/h for 4 Person
Cooling Method	Forced Air
Start Mode	Recoil
Fuel	Petrol+Oil
Propeller Size	3-7 1/4"x5"-A
Stern Plate Height	420mm
Net Weight	9.5Kg



## OUTBOARD ENGINE 6HP

Model	WP-T6
Engine Type	4 Stroke, Single Cylinder, Water cooled
Max. Power	4.4kW/6HP/5000rpm
Displacement	139cc
Idle Speed At Neutral	1500rpm
Cooling Method	Water
Start Mode	Recoil
Gear Ratio	2.08(27/13)
Propeller Size	3-7 1/2"x8"
Stern Plate Height	562mm
Fuel	Petrol
Net Weight	20.5Kg



## OUTBOARD ENGINE 15HP

Model	WP-T15
Engine Type	2 Stroke, Double Cylinder, Water cooled
Max. Power	11kW/15HP/5000rpm
Displacement	246cc
Idle Speed At Neutral	1500rpm
Cooling Method	Water
Start Mode	Recoil
Gear Ratio	2.08(27/13)
Propeller Size	3-9 1/4"x9"
Stern Plate Height	567mm
Fuel	Petrol
Net Weight	36Kg



## GENERAL PURPOSE ENGINE [PETROL]

Model	WP-GX35
Engine Type	4-Stroke, Single Cylinder, Air Cooled
Net Power	1.2kW/7000rpm
Displacement	35.8cc
Max. Torque	1.9N-m/5500rpm
Fuel Tank Capacity	.65L
Oil Capacity	0.1L
Fuel Consumption	360g/kWh
Start Mode	Recoil
Gross Weight	8.8Kg



Model	WP-152F
Engine Type	4-Stroke, Single Cylinder, Air Cooled, Horizontal Shaft
Max. Power	1.8kW/2.5HP/3600rpm
Rated Power	1.15kW/1.6HP/3600rpm
Displacement	98cc
Fuel Tank Capacity	1.3L
Oil Capacity	0.3L
Net Weight	9Kg



Model	WP-168F
Engine Type	4-Stroke, Single Cylinder, Air Cooled, Horizontal Shaft
Max. Power	4kW/5.5HP/3600rpm
Rated Power	3.1kW/4.2HP/3600rpm
Displacement	163cc
Fuel Tank Capacity	3.6L
Oil Capacity	0.6L
Net Weight	14Kg



Model	WP-170F
Engine Type	4-Stroke, Single Cylinder, Air Cooled, Horizontal Shaft
Max. Power	5.1kW/7HP/3600rpm
Rated Power	4kW/5.4HP/3600rpm
Displacement	212cc
Fuel Tank Capacity	3.6L
Oil Capacity	0.6L
Net Weight	16.5Kg



Model	WP-182F
Engine Type	4-Stroke, Single Cylinder, Air Cooled, Horizontal Shaft
Max. Power	8kW/11HP/3600rpm
Rated Power	6.8kW/9.2HP/3600rpm
Displacement	338cc
Fuel Tank Capacity	6L
Oil Capacity	1.1L
Net Weight	31Kg



Model	WP-188F
Engine Type	4-Stroke, Single Cylinder, Air Cooled, Horizontal Shaft
Max. Power	9.6kW/13HP/3600rpm
Rated Power	7.6kW/10.3HP/3600rpm
Displacement	389cc
Fuel Tank Capacity	6L
Oil Capacity	1.1L
Net Weight	32Kg







**Quick and Quality Finish**

**WOODPECKER MACHINES INDIA (P) LTD.**

C-1107, JAWAHARLAL NEHRU INTERNATIONAL STADIUM

KALOOR, KOCHIN-682017

PHONE : +91 484 4037612, 2343503

[www.woodpeckerindia.com](http://www.woodpeckerindia.com),

E-mail : [sales@woodpeckerindia.com](mailto:sales@woodpeckerindia.com)



Follow us on Facebook

[www.facebook.com/woodpeckermachines](https://www.facebook.com/woodpeckermachines)



+91 9947908087